

Literatur

- Ambrose, S.E., Walker, E.A., Unflat-Berry, L.M., Oleson, J.J. & Moeller, M.P. (2015). Quantity and quality of caregivers' linguistic input to 18-month and 3-year-old children who are hard of hearing. *Ear and Hearing*, 36, 48-59; <https://doi.org/10.1097/AUD.0000000000000209>
- Batten, G., Oakes, R.M. & Alexander, T. (2014). Factors associated with social interactions between deaf children and their hearing peers: A systematic literature review. *Journal of Deaf Studies and Deaf Education*, 19, 285-302; <https://doi.org/10.1093/deafed/ent052>
- Beatrijs, W., Kristiane, V.L. & Mieke, V.H. (2019). Parental strategies used in communication with their deaf infants. *Child Language Teaching and Therapy*, 35, 165-183; <https://doi.org/10.1177/0265659019852664>
- Brophy-Herb, H.E., Lee, R.E., Nievar, A. & Stollak, G.E. (2007). Preschoolers' social competence: Relations to family characteristics, teacher behaviors and classroom climate. *Journal of Applied Developmental Psychology*, 28, 134-148; <https://doi.org/10.1016/j.appdev.2006.12.004>
- Castellanos, I., Pisoni, D.B. & Kronenberger, W.G. (2020). I should do as I say, not as I do: Self-regulation and psychosocial outcomes in deaf children with cochlear implants. In M. Marschark & H. Knoors (Eds.), *The Oxford handbook of deaf studies in learning and cognition* (pp. 167-176). New York, NY: Oxford University Press; <https://doi.org/10.1093/oxfordhb/9780190054045.013.6>
- Curtin, M., Herman, R., Cruice, M. & Morgan, G. (2021). Assessing parent-child interaction in infant deafness. *Current Opinion in Otolaryngology and Head and Neck Surgery*, 29, 200-203; <https://doi.org/10.1097/MOO.0000000000000710>
- Fellinger, J., Holzinger, D., Sattel, H. & Laucht, M. (2008). Mental health and quality of life in deaf pupils. *European Child & Adolescent Psychiatry*, 17, 414-423; <https://doi.org/10.1007/s00787-008-0683-y>
- Guralnick, M. (2018). *Effective early intervention. The Developmental Systems Approach*. Baltimore, ML: Brookes Publishing.
- Hindley, P. (2005). Mental health problems in deaf children. *Current Pediatrics*, 15, 114-119. <https://doi.org/10.1016/j.cupe.2004.12.008>
- Hintermair, M. (2014). Psychosocial development of deaf and hard of hearing children in the 21th century. Opportunities and challenges. In M. Marschark, G. Tang & H. Knoors H (Eds.), *Bilingualism and bilingual deaf education* (pp. 152-186). New York, NY: Oxford University Press; <https://doi.org/10.1093/acprof:oso/9780199371815.003.0007>
- Hintermair, M. & Burger, T. (2022). Verhaltensauffälligkeiten hörgeschädigter Kinder: Sekundär-analyse von Daten aus deutschsprachigen Studien mit dem SDQ-D. *Empirische Sonderpädagogik*, 14, 245-264.
- Hoffmann, V., Burger, T., Hintermair, M. & Kröger, S. (2022). Sozial-emotionale Entwicklung von Vorschulkindern mit einem Cochlea-Implantat. *HörgeschädigtenPädagogik*, 76, 6-17.
- Jeddi, Z., Jafari, Z., Zarandy, M.M. & Kassani, A. (2014). Aural rehabilitation in children with cochlear implants: A study of cognition, social communication, and motor skill development. *Cochlear Implants International*, 15, 93-100; <https://doi.org/10.1179/1754762813Y.00000000060>
- Jungmann, T., Koch, K. & Schulz, A. (2015). *Überall stecken Gefühle drin. Alltagsintegrierte Förderung emotionaler und sozialer Kompetenzen für 3- bis 6-jährige Kinder*. München: Reinhardt.
- Ketelaar, L., Rieffe, C., Wiefferink, C.H. & Frijns, J.H.M. (2013). Social competence and empathy in young children with cochlear implants and with normal hearing. *Laryngoscope*, 123, 518-523; <https://doi.org/10.1002/lary.23544>
- Ketelaar, L., Wiefferink, C.H., Frijns, J.H.M. & Rieffe, C. (2017). Children with cochlear implants and their parents: Relations between parenting style and children's social-emotional functioning. *Ear and Hearing*, 38, 321-331; <https://doi.org/10.1097/AUD.0000000000000387>
- Knoors, H. & Marschark, M. (2019). *Evidence-based practices in deaf education*. New York, NY: Oxford University Press; <https://doi.org/10.1093/oso/9780190880545.001.0001>
- Koglin, P. & Petermann, F. (2006). *VSK – Verhaltensskalen für das Kindergartenalter*. Göttingen: Hogrefe.
- Kröger, S., Hoffmann, V., Forster, S., Overlach, F., Hintermair, M. & Burger, T. (2021). Zusammenhang von Theory of Mind (ToM) und Sprachkompetenz bei Kindern mit Cochlea-Implantaten. *Frühförderung interdisziplinär*, 40, 78-90; <https://doi.org/10.2378/fi2021.art08d>

- Lam, C. & Kitamura, C. (2012). Mommy, speak clearly: induced hearing loss shapes vowel hyperarticulation. *Developmental Science*, 15, 212-221; <https://doi.org/10.1111/j.1467-7687.2011.01118.x>
- Laugen, N.J. (2019). Psychosocial development of hard-of-hearing preschool children: Implications for early intervention. In H. Knoors & M. Marschark (Eds.), *Evidence-based practices in deaf education* (pp. 437-454). New York, NY: Oxford University Press.
- Lederberg, A.R. & Prezbindowski, A.K. (2000). Impact of child deafness on mother-toddler interaction: Strengths and weaknesses. In P.E. Spencer, C. Erting & M. Marschark (Eds.), *The deaf child in the family and at school* (pp. 73-92). Mahwah, NJ: Lawrence Erlbaum.
- Leonhart, R. (2013). *Lehrbuch der Statistik – Einstieg und Vertiefung* (3. Auflage). Bern: Verlag Hans Huber.
- Martin, D. & Bat-Chava, Y. (2003). Negotiating deaf-hearing friendships: Coping strategies of deaf boys and girls in mainstream schools. *Child: Care, Health and Development*, 29, 511-521; <https://doi.org/10.1046/j.1365-2214.2003.00371.x>
- Michael, R., Attias, J. & Raveh, E. (2019). Cochlear implantation and social-emotional functioning of children with hearing loss. *Journal of Deaf Studies and Deaf Education* 24, 25-31; <https://doi.org/10.1093/deafed/eny034>
- Moeller, M.P., Carr, G., Seaver, L., Stredler-Brown, A. & Holzinger, D. (2013). Best practices in family-centered early intervention for children who are deaf or hard of hearing: An international consensus statement. *Journal of Deaf Studies and Deaf Education*, 18, 429-445; <https://doi.org/10.1093/deafed/ent034>
- Morgan, G., Meristo, M., Mann, W., Hjelmquist, E., & Siegal, M. (2014). Mental state language and quality of conversational experience in deaf and hearing children. *Cognitive Development*, 29, 41-49; <https://doi.org/10.1016/j.cogdev.2013.10.002>
- Netten, A.P., Rieffe, C., Ketelaar, L., Soede, W., Gadew, K.D. & Frijns, J.H.M. (2018). Terrible twos or early signs of psychopathology? Developmental patterns in early identified preschoolers with CI compared to hearing controls. *Ear and Hearing*, 39, 495-502; <https://doi.org/10.1097/AUD.0000000000000500>
- Ravens-Sieberer, U., Erhart, M., Devine, J., Gilbert, M., Reiss, F., Barkmann, C., Siegel, N., Simon, A., Hurrelmann, K., Schlack, R., Hölling, H., Wieler, L.H. & Kaman, A. (2022). *Child and Adolescent Mental Health During the COVID-19 Pandemic: Results of the Three-Wave Longitudinal COPSY Study*. Available at SSRN: <https://ssrn.com/abstract=4024489>; <https://doi.org/10.2139/ssrn.4024489>
- Ravens-Sieberer, U., Kaman, A., Erhart, M., Devine, J., Schlack, R., & Otto, C. (2021a). Impact of the COVID-19 pandemic on quality of life and mental health in children and adolescents in Germany. *European Child and Adolescent Psychiatry*; <https://doi.org/10.1007/s00787-021-01726-5>
- Ravens-Sieberer, U., Kaman, A., Erhart, M., Otto, C., Devine, J., Löffler, C., Hurrelmann, K., Bullinger, M., Barkman, C., Siegel, N.A., Simon, A.M., Wieler, L.H., Schlack, R. & Hölling, H. (2021b). Quality of life and mental health in children and adolescents during the first year of the COVID-19 pandemic: results of a two-wave nationwide population-based study. *European Child and Adolescent Psychiatry*; <https://doi.org/10.1007/s00787-021-01889-1>
- Sarimski, K., Hintermair, M. & Lang, M. (2021). *Familienorientierte Frühförderung von Kindern mit Behinderung* (2. überarbeitete Auflage). München: Reinhardt-Verlag; <https://doi.org/10.1026/03036-000>
- Schorr, E.A., Roth, F.P. & Fox, N.A. (2009). Quality of life for children with cochlear implants: perceived benefits and problems and the perception of single words and emotional sounds. *Journal of Speech, Language, and Hearing Research*, 52, 141-152; [https://doi.org/10.1044/1092-4388\(2008/07-0213\)](https://doi.org/10.1044/1092-4388(2008/07-0213))
- Silbereisen, R.K. & Weichold, K. (2012). Jugend (12 – 19 Jahre). In W. Schneider & U. Lindenberger (Hrsg.), *Entwicklungspsychologie* (S. 235-258). Weinheim: Beltz.
- Stevenson, J., Kreppner, J., Pimperton, H., Worsfold, S. & Kennedy, C. (2015). Emotional and behavioural difficulties in children and adolescents with hearing impairment: A systematic review and meta-analysis. *European Child and Adolescent Psychiatry*, 24, 1-20; <https://doi.org/10.1007/s00787-015-0697-1>

- Su, P.L. & Roberts, M.Y. (2019). Quantity and quality of parental utterances and responses to children with hearing loss prior to cochlear implant. *Journal of Early Intervention*, 41, 366-387; <https://doi.org/10.1177/1053815119867286>
- Topcu, O., Senli, F.D., Batuk, M.O., Kilic, S. & Sennaroglu, G. (2020). Social competence in children with cochlear implants: is it possible to catch up with their peers? *European Archives of Oto-Rhino-Laryngology*, 278, 2775-2780; <https://doi.org/10.1007/s00405-020-06363-3>
- Tsou, Y.T., Li, B., Eichengreen, A., Frijns, J.H.M. & Rieffe, C. (2021). Emotions in deaf and hard-of-hearing and typically hearing children. *Journal of Deaf Studies and Deaf Education*, 26, 1-14; <https://doi.org/10.1093/deafed/enab022>
- Ulrich, F., Petermann, F., Petermann, U. & Gust, N. (2016). Verhaltensauffälligkeiten bei Kindern mit Entwicklungsdefiziten im Vorschulalter. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie*, 48, 80-89; <https://doi.org/10.1026/0049-8637/a000146>
- van Gent, T., Goedhart, A.W., Hindley, P.A. & Treffers, P.D.A. (2007). Prevalence and correlates of psychopathology in a sample of deaf adolescents. *Journal of Child Psychology and Psychiatry*, 48, 950-958. <https://doi.org/10.1111/j.1469-7610.2007.01775.x>
- Wiefferink, C.H., Rieffe, C., Ketelaar, L. & Frijns, J.H.M. (2012). Predicting social functioning in children with a cochlear implant and in normal-hearing children: the role of emotion regulation. *International Journal of Pediatric Otorhinolaryngology*, 76, 883-889; <https://doi.org/10.1016/j.ijporl.2012.02.065>
- Woerner, W., Becker, A., Friedrich, C., Klasen, H., Goodman, R. & Rothenberger, A. (2002). Normierung und Evaluation der deutschen Elternversion des Strengths and Difficulties Questionnaire (SDQ): Ergebnisse einer repräsentativen Felderhebung. *Zeitschrift für Kinder- und Jugendpsychiatrie und Psychotherapie*, 30, 105-112; <https://doi.org/10.1024/1422-4917.30.2.105>
- Wong, L.C., Ching, T.Y.C., Cupples, L., Button, L., Leigh, G., Marnane, V., Whitfield, J., Gunnourie, M. & Martin, L. (2017). Psychosocial development in 5-year-old children with hearing loss using hearing aids or cochlear implants. *Trends in Hearing* 2331216517710373; <https://doi.org/10.1177/2331216517710373>
- Wong, L.C., Ching, T.Y.C., Cupples, L., Leigh, G., Marnane, V., Button, L., Martin, L., Whitfield, J. & Gunnourie, M. (2020). Comparing parent and teacher ratings of emotional and behavioural difficulties in 5-year old children who are deaf or hard-of-hearing. *Deafness Education International*, 22, 3-26; <https://doi.org/10.1080/14643154.2018.1475956>
- Xie, Y.H., Potmesil, M. & Peters, B. (2014). Children who are deaf or hard of hearing in inclusive educational settings: A literature review on interaction with peers. *Journal of Deaf Studies and Deaf Education*, 19, 423-437; <https://doi.org/10.1093/deafed/enu017>